NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI017082**
DATE:	**09/02/2026**
CERTIFICATION PROGRAM:	**Fire**
COMPANY:	**Builders First**
CODE:	**1665-1**
EXPIRATION DATE:	**09/30/2030**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Builders First Source **399 Northpoint Parkway** **Acworth, GA 30102**	**Jeld Wen 20 Minute Neutral Pressure Steel Side-Hinged Door Assembly** Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single Swing Only **Single Swing Maximum Size: 3'6" x 6'8"** **Minimum Thickness: 1-3/4"**

SPECIFICATION	PRODUCT RATING
NFPA 252 (2008) **UL 10B (2009)** **UBC 7-2 (1994)**	**20 Minute-Neutral Pressure With Hose Stream** **Category B - Additional Edge Sealing Required**

TEST REPORT

Intertek Test Report No: WHI 495-0897, 100108677COQ-001, 100211525COQ-001, 100237214MID-001, 100754937MID-001
NAMI Waiver of Retest: W-2090

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com